



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

Q.460

**SPECIFICATIONS OF SIGNALLING SYSTEM R2
SIGNALLING PROCEDURES**

**NORMAL CALL SET-UP PROCEDURES FOR
INTERNATIONAL WORKING**

ITU-T Recommendation Q.460

(Extract from the *Blue Book*)

NOTES

1 ITU-T Recommendation Q.460 was published in Fascicle VI.4 of the *Blue Book*. This file is an extract from the *Blue Book*. While the presentation and layout of the text might be slightly different from the *Blue Book* version, the contents of the file are identical to the *Blue Book* version and copyright conditions remain unchanged (see below).

2 In this Recommendation, the expression “Administration” is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Recommendation Q.460

5.1 NORMAL CALL SET-UP PROCEDURES FOR INTERNATIONAL WORKING

5.1.1 *General*

During call set-up an outgoing international R2 register is connected to an international link. This register signals to at least one incoming R2 register situated in an international exchange and possibly, depending upon the routing, to as many as 4 successive incoming R2 registers in international exchanges and 4 successive incoming R2 registers situated in national exchanges in the destination country where System R2 is employed.

The duration of the normal call set-up procedure can vary because different phases of the signalling sequence between the outgoing international R2 register and successive incoming R2 registers may be repeated.